


CROSSING NAVIGABLE WATERS

DRAWING NUMBER	SHT.	DRAWING TITLE	DWG REV.	BOM REV.
C-26-22.01	1 - 1	PLOUGHED CABLE WATERWAY CROSSING	A	-
C-26-22.02	1 - 1	SASKATCHEWAN CONSERVATION & DEVELOPMENT ASSOCIATION FLOOD CONTROL DITCH CROSSING	A	-

***SaskPower* - DISTRIBUTION STANDARDS**

DRN.	DESIGN CHK.	APPROVAL	INDEX
CHKD.			
DATE	DATE	DATE	
DATE OF ISSUE: 2009/06/29		DRAWING NO: C-26-22-INDEX SHEET 1 of 1	REV. B





NOTES:

1. WATERWAY CROSSING SHALL BE INSTALLED BY EITHER PLOUGHING, TRENCHING, OR BORING AS WOULD BE REASONABLE IN EACH APPLICABLE SITUATION. PLOUGHING IS WITH TOW CRAWLER TRACTOR TO INSURE MINIMAL DAMAGE
2. CABLE SHALL CROSS AS CLOSE AS PRACTICAL TO 90° BUT NOT LESS THAN 45°.
3. CABLE BURIAL DEPTH EXCEEDS TRANSPORT CANADA, NAVIGABLE WATERS PROTECTION ACT.
4. FISH HABITAT REQUIRE PERMISSION FROM SASK. ENVIRONMENT - FISH & WILDLIFE BRANCH
5. SASK. WATERSHED AUTHORITY FLOOD CONTROL DITCH, REQUIREMENTS ARE AS PER THE SIGNED MASTER EASEMENT CROSSING AND DRAWING C-26-22.02.
6. MARKER & POST ARE OFFSET 0.5m (18") FROM CABLE.

Sask Power - DISTRIBUTION STANDARDS

DRN. A.B.W.	DESIGN CHK.	SAFETY APP.	APPROVAL	CABLE WATERWAY CROSSING
CHKD. <i>FTK</i>				
DATE 91-01-28	DATE	DATE	DATE	
DATE OF ISSUE: 2009-06-29			DRAWING NO. C-26-22.01	SHEET 1 of 1
				REV. A



- NOTES:
1. FLOOD CONTROL DITCH CROSSING SHALL BE INSTALLED BY EITHER PLOUGHING, TRENCHING, OR BORING AS WOULD BE REASONABLE IN EACH APPLICABLE SITUATION. PLOUGHING IS WITH TOW CRAWLER TRACTOR TO INSURE MINIMAL DAMAGE
 2. CABLE SHALL BE LOCATED TO CROSS FLOOD CONTROL DITCH AS CLOSE AS PRACTICAL TO 90° BUT NOT LESS THAN 45°.
 3. MINIMUM BURIAL DEPTH REQUIRED BY TRANSPORT CANADA UNDER THE NAVIGABLE WATERS PROTECTION ACT ARE APPLIED.
 4. THE TOP OF THE CABLE SHALL BE NOT LESS 1.219m (4') BELOW BOTTOM OF FLOOD CONTROL DITCH.
 5. THE MINIMUM DEPTH OF BURIAL UNDER THE FLOOD CONTROL DITCH (SEE NOTE 4) SHALL EXTEND 3.0m PAST THE EDGE OF THE DITCH ON BOTH SIDES.
 6. DANGER MARKERS TO BE INSTALLED ON EACH SIDE OF THE RIGHT OF WAY AT THE EDGE OF THE CROP/PASTURE AREA.

Sask Power – DISTRIBUTION STANDARDS				
DRN. R.J.L.	DESIGN CHK.	SAFETY APP.	APPROVAL	SASKATCHEWAN WATERSHED AUTHORITY FLOOD CONTROL DITCH CROSSING
CHKD. C.D.B				
DATE 91-04-29	DATE	DATE	DATE	
DATE OF ISSUE: 2009-06-29			DRAWING NO. C-26-22.02	SHEET 1 of 1
				REV. A